

---

## Acute Pain Service

# Frequently asked questions about Gabapentin for pain relief

### Why do I need Gabapentin?

Gabapentin is a drug used to treat nerve pain. This type of pain is often not relieved by normal painkillers. Gabapentin can be used in combination with other painkillers to improve your pain relief.

### How does Gabapentin work?

Gabapentin works by changing the way in which nerves send messages to your brain. When something presses on a nerve, or a nerve doesn't work properly in some way, the nerve can send false messages to your brain. The brain thinks that a part of your body is being hurt when it is not. This makes you actually feel pain. Gabapentin may reduce your pain by altering the way nerves work.

### Isn't Gabapentin used for treating Epilepsy?

Yes, Gabapentin is used for treating epilepsy. Epilepsy is also caused by nerves sending false messages, but this time to the muscles. Research has shown that Gabapentin is also effective in helping to relieve certain types of pain.

### How long will Gabapentin take to work?

You should notice that your pain starts to improve over one to two weeks after starting Gabapentin, but it may take longer in some people. However, some people feel the benefit straight away.

### How long will I have to take Gabapentin for?

If the Gabapentin is helpful, you will be asked to continue with it for at least two to three months. Your treatment will be reviewed in hospital by the doctors and pain relief service looking after you. If you are discharged then your GP should review your treatment. There is no possibility of you becoming addicted to it. It is also important that you continue to take your other regular painkillers, unless you have been advised to stop taking these by your doctor.

### How should I take Gabapentin?

You should take Gabapentin in addition to your current tablets unless told otherwise. Gabapentin is started at a low dose and increased gradually to minimize any side effects.

You should take your Gabapentin as shown in the table. If your pain completely disappears with a lower dose, you can stay on that dose rather than increasing to the next dose.

Date	Dose		
	Morning	Lunch	Night

### Do I need any tests whilst I'm taking Gabapentin?

No, you will not need any special checks whilst you are taking Gabapentin.

### Are there any side effects?

All drugs have side effects, but they do not happen in all the people who take them.

The most common side effects of Gabapentin are:

- drowsiness
- dizziness
- weakness
- tiredness

Other possible side effects are detailed in the drug information sheet supplied with the tablets.

If you have any troublesome side effects from Gabapentin, speak to the doctor, nurse or pain service straight away. Side effects from Gabapentin usually reduce or disappear after taking the same dose for a few days.

### Is it safe for me to take other medicines whilst I'm receiving treatment with Gabapentin?

Before you take or buy any new medicines, including herbal remedies, tell your doctor or pharmacist that you are taking Gabapentin and ask their advice.

If you are taking any indigestion remedies, avoid taking them **two hours before** and **up to two hours after** your Gabapentin dose.

### What should I do if I forget to take a dose?

---

You should take a missed dose as soon as you remember. However, if it is almost time for your next dose, skip the missed dose and take your medication as normal. **Do not** try to 'double up' to make up for your missed dose.

### **Can I drink alcohol whilst taking Gabapentin?**

If the Gabapentin makes you feel tired or gives you other side effects, then drinking alcohol may increase these side effects. Because of this, we advise you to avoid drinking alcohol if these side effects are troublesome.

### **Is it safe for me to drive whilst I'm taking Gabapentin?**

Gabapentin may cause drowsiness. If you feel affected by this, we advise that you should not drive until the effects have worn off.

### **Remember:**

Never give your prescribed tablets to other people as they may not be safe for them to take. Any leftover tablets should be taken to your local pharmacy for safe disposal.

## **Keep all medicines out of reach of children**

### **Additional information**

The information in this leaflet is not intended to replace the advice given to you by your doctor or the pain service looking after you. If you require more information or have any questions, please speak to your doctor or the Acute Pain, Chronic Pain or Palliative Care Services who are looking after you. Your ward nurse will be able to put you in touch with them.



We are currently working towards a smoke free site. Smoking is only permitted in the designated smoking areas.

For advice and support in quitting, contact your GP or the free NHS stop smoking helpline on 0800 169 0 169

### Help with this leaflet:



If you would like this information in another language, large print or audio format, please ask the department to contact Patient Information: 01223 216032 or [patient.information@addenbrookes.nhs.uk](mailto:patient.information@addenbrookes.nhs.uk)

### Polish

Jeżeli chciałbyś uzyskać te informacje w innym języku, w dużej czcionce lub w formacie audio, poproś pracownika oddziału o kontakt z biurem Informacji Pacjenta (Patient Information) pod numerem telefonu: 01223 216032 lub pod adresem [patient.information@addenbrookes.nhs.uk](mailto:patient.information@addenbrookes.nhs.uk)

### Portuguese

Se precisar desta informação noutra língua, em impressão de letras grandes ou formato áudio, por favor peça ao departamento que contacte a secção de Informação aos Doentes (Patient Information) pelo telefone 01223 216032 ou através do e-mail [patient.information@addenbrookes.nhs.uk](mailto:patient.information@addenbrookes.nhs.uk)

### Arabic

إذا كنت تود الحصول على هذه المعلومات بلغة أخرى، بالأحرف الكبيرة أو بشكل شريط صوتي، يمكنك أن تطلب من القسم الاتصال بمعلومات المريض على الرقم: 01223216032 أو عبر البريد الإلكتروني: [patient.information@addenbrookes.nhs.uk](mailto:patient.information@addenbrookes.nhs.uk)

### Cantonese

如您需以另一語言版本、特大字體或錄音形式索取本資料，請要求部門聯絡病人諮詢服務：電話 01223 216032，電郵地址 [patient.information@addenbrookes.nhs.uk](mailto:patient.information@addenbrookes.nhs.uk)

### Turkish

Eğer bu bilgileri başka bir dilde veya büyük baskılı veya sesli olarak isterseniz, lütfen bulunduğunuz bölümdeki görevlilere söyleyin Hasta Bilgilendirme servisini arasinlar: 01223 216032 veya [patient.information@addenbrookes.nhs.uk](mailto:patient.information@addenbrookes.nhs.uk)

### Urdu

اگر آپ کو یہ معلومات کسی دیگر زبان میں، بڑے الفاظ میں یا آڈیو طریقہ سے درکار ہوں تو برائے مہربانی اس شعبہ سے پیشینٹ انفارمیشن سے ذیل کے ذریعہ رابطہ کرنے کی درخواست کریں: 01223 216032 یا [patient.information@addenbrookes.nhs.uk](mailto:patient.information@addenbrookes.nhs.uk)

### Bengali

আপনি যদি এই তথ্য অন্য কোন ভাষায়, বড় অক্ষরে বা অডিও রেকর্ডিং পেতে চান তাহলে 'প্যাশেন্ট ইনফরমেশান' এর সঙ্গে 01223 216032 নম্বরে ফোন করে বা [patient.information@addenbrookes.nhs.uk](mailto:patient.information@addenbrookes.nhs.uk) ঠিকানায় ই-মেইল করে যোগাযোগ করার জন্য ডিপার্টমেন্টটিতে অনুরোধ জানান।

## Document history

Authors	Acute Pain Service
Department	Cambridge University Hospitals NHS Foundation Trust, Hills Road, Cambridge, CB2 0QQ <a href="http://www.cuh.org.uk">www.cuh.org.uk</a>
Contact number	01223 245151
Publish/Review date	July 2010/July 2013 (no changes made)
File name	FAQs_Gabapentin_v4.doc
Version number/Ref	5/PIN761